



ALFA SRL COMPANY



ALFA SRL COMPANY



+393281952245




Via P. Stucchi, 64, 20872
Zona Industriale
G. Rossa MB, Italia



info@alfacosrl.com
www.alfacosrl.com


5-Function Electric hospital bed BT-AE080



Specification:

1. Size: 2160*1130*550-840mm
2. Steel Durable frame, detachable PP headboard/footboard.
3. PP handrails with embedded operator
4. With remote control
5. Weighing screen on footboard
6. Four silent wheels, $\phi 125$ mm, Central-controlled braking system.
7. Standard: I.V pole, with Drainage hook, ABS bottom Cover, bumpers.


5-Function Electric Hospital bed BT-AE081



Specification:

1. Size: 2250*1060*550-800mm
2. Steel Durable frame, detachable PP headboard/footboard.
3. Embedded operators on side rail and footboard
4. With remote control
5. Four silent wheels, $\phi 125$ mm, Central-controlled braking system.
6. Standard: I.V pole, with Drainage hook, ABS bottom Cover, bumpers.


5-Function Electric Hospital bed BT-AE083



Specification:

1. Size: 2100*1060*450-700mm
2. Steel Durable frame, detachable PP headboard/footboard.
3. With remote control
4. Four silent wheels, $\phi 125$ mm, Central-controlled braking system.
5. Standard: I.V pole, with Drainage hook, ABS bottom Cover, bumpers.


5-Function Electric Hospital bed BT-AE086



Specification:

1. Overall size (L*W*H): 2170*1060*450-700mm
2. PP side rails with build-in controller
3. PP headboard/footboard.
4. Luxurious castors with central locking, $\phi 125$ mm
5. Standard: I.V pole, Drainage hook, bumpers


5-Function Electric Hospital bed BT-AE087



Specification:

1. Overall size (L*W*H):2170*1060*450-700mm
2. PP side rails
3. PP headboard/footboard.
4. Luxurious castors with central locking,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers


5-Function Electric Hospital bed BT-AE088



Specification:

1. Overall size (L*W*H):2170*1060*450-700mm
2. PP side rails
3. PP headboard/footboard.
4. Luxurious castors with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers


5-Function Electric Hospital bed BT-AE089



Specification:

1. Overall size (L*W*H):2150*1000*450-700mm
2. PP side rails
3. PP headboard/footboard.
4. Luxurious castors with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers

5-Function Electric Hospital bed BT-AE085



Specification:

1. Overall size (L*W*H):2020*1000*450-700mm
2. Steel Durable frame
3. Aluminum collapsible side rail
4. Detachable PP headboard/footboard.
5. With remote control;
6. Four silent wheels with individual brakes,φ125mm
7. Standard:I.V pole,Drainage hook,bumpers

8-Function Electric ICU Chair Bed BT-AE029



Features:

1. Overall size (L*W*H):2030*1050*500-1000mm, bed platform size:1960*900mm
2. Steel Durable frame, detachable PP headboard/-footboard.
3. Back section can be translucent for x-ray.
4. PP handrails with embedded operator
5. Linak motors with backup batteries
6. Electric length stretchable function:200mm
7. Four silent wheels,φ150mm,Central-controlled braking system.; With fifth direction wheel.



0°-70° 0°-30° Linkage 500-1000mm 0°-12° 0°-12° Chair Manual+Electric

5-Function Electric Hospital Bed BT-AE036



Specification:

1. Overall size: 2175*990*420-800mm
2. Steel Durable frame, detachable PP headboard/-footboard.
3. PP handrails with embedded operator
4. With remote control, nurse control panel
5. Back section can be translucent for x-ray.
6. 4 motors with backup batteries
7. Four silent wheels,φ125mm,Central-controlled braking system.



0°-75° 0°-45° Linkage 420-800mm 0°-16° 0°-16° Cardiac Chair Manual+Electric

5-Function Electric Hospital Bed

BT-AE035

Specification:

1. Overall size (L*W*H):2200*980*450-765mm, platform size:1960*900mm
2. Steel Durable frame, PP side rails;Plastic bed-board
3. Detachable PP headboard/footboard.
4. With remote control & embedded side rail controller
5. Four silent wheels,φ125mm,Central-controlled braking system.
6. Standard:I.V pole,Drainage hook,bumpers



0°-70° 0°-30° Linkage 450-765mm 0°-12° 0°-12° Electric

BT-AE046

Specification:

1. Overall size (L*W*H):2230*980*450-700mm, platform size:1960*880mm
2. Steel Durable frame, PP side rails;
3. Detachable PP headboard/footboard.
4. With remote control & embedded side rail controller
5. Four silent wheels,φ125mm,Central-controlled braking system.
6. Standard:I.V pole,Drainage hook,bumpers



0°-70° 0°-30° Linkage 450-700mm 0°-12° 0°-12° Electric

5-Function Electric Hospital Bed

BT-AE042

Specification:

1. Overall size (L*W*H):2140*1070*450-770mm, platform size:1950*900mm
2. PP headboard/footboard.
3. PP handrails with embedded operator
4. With remote control, Emergency stop button
5. 4 motors with backup battery
6. Luxurious castors with central locking, ϕ 125mm
7. Standard: With one I.V pole, Drainage hook,
8. Restraint device, bumpers.
9. Optional: Weighing system



BT-AE043

Specification:

1. Overall size (L*W*H):2100*1020*450-765mm, platform size:1910*880mm
2. PP headboard/footboard.
3. Embedded operator on PP side rail and footboard
4. With remote control, Emergency stop button
5. 4 motors with backup battery
6. Luxurious castors with central locking, ϕ 125mm
7. Standard: With one I.V pole, Drainage hook
8. Optional: Weighing system



5-Function Electric Hospital Bed

BT-AE017

Specification:


1. Overall size (L*W*H):2230*1050*450-700mm
2. Steel Durable frame,
3. Detachable PP headboard/footboard.
4. Embedded operator on PP side rail and footboard
5. 4 motors with backup battery
6. Luxurious castors with central locking, ϕ 125mm
7. Standard: I.V pole, Drainage hook, bumpers



BT-AE071

Specification:

1. Overall size (L*W*H):2230*1050*450-700mm, platform size:1960*900mm
2. PP side rails;
3. PP headboard/footboard.
4. With remote control;
5. Luxurious castors with central locking, ϕ 125mm
6. Standard: I.V pole, Drainage hook, bumpers




5-Function Electric Hospital Bed

BT-AE006

Specification:


1. Overall size (L*W*H):2150*1050*450-700mm
2. PP side rails;
3. PP headboard/footboard.
4. With remote control;
5. Luxurious castors with central locking,φ125mm,
6. Central-controlled braking system.
7. Standard:I.V pole,Drainage hook,bumpers,angle indicators



BT-AE077

Specification:

1. Overall size (L*W*H):2230*1050*450-700mm, platform size:1960*900mm
2. PP side rails;
3. PP headboard/footboard.
4. With remote control;
5. Luxurious castors with central locking,φ125mm,
6. Central-controlled braking system.
7. Standard:I.V pole,Drainage hook,bumpers




5-Function Electric Hospital Bed

BT-AE011

Specification:


1. Overall size (L*W*H):2150*1050*450-700mm
2. PP side rails;
3. PP headboard/footboard.
4. With remote control;
5. Luxurious castors with central locking,φ125mm,
6. Central-controlled braking system.
7. Standard:I.V pole,Drainage hook,bumpers,angle indicators



BT-AE015

Specification:

1. Overall size:(L*W*H):2100*970*460-720mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. With remote control;
5. Four silent wheels with brakes,φ125mm
6. Standard:I.V pole,Drainage hook,bumpers




3-Function Electric Hospital Bed



BT-AE160

Specification:


1. Overall size (L*W*H):2150*1050*450-700mm
2. PP headboard/footboard.
3. PP side rail with embedded operator
4. Luxurious castors with central locking, $\phi 125$ mm
5. Standard:I.V pole, Drainage hook, bumpers, angle indicators



BT-AE102

Features:


1. Overall size (L*W*H):2150*1050*460-720mm
2. PP side rails;
3. PP headboard/footboard.
4. With remote control;
5. Luxurious castors with central locking, $\phi 125$ mm
6. Standard:I.V pole, Drainage hook, bumpers, angle indicators



BT-AE105

Features:

1. Overall size (L*W*H):2150*950*460-720mm
2. With remote control
3. PP headboard/footboard.
4. Aluminum collapsible side rail
5. Four silent wheels with brakes, $\phi 125$ mm
6. Standard:I.V pole, Drainage hook, bumpers




2-Function Electric Hospital Bed



BT-AE202

Features:


1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. With remote control;
5. Four silent wheels with brakes, $\phi 125$ mm
6. Standard:I.V pole, Drainage hook, bumpers



BT-AE204

Specification:


1. Overall size (L*W*H):2150*950*500mm
2. Steel Durable frame, PP side rails;
3. Detachable PP headboard/footboard.
4. With remote control;
5. Four silent wheels, $\phi 125$ mm



BT-AE205

Features:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. With remote control;
5. Four silent wheels with brakes, $\phi 125$ mm
6. Standard:I.V pole, Drainage hook, bumpers



5-Function Manual Hospital Bed

BT-AM002

Feature:

1. Overall size (L*W*H):2150*950*460-720mm
2. Aluminum collapsible side rail
3. Aluminum headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM004

Feature:


1. Overall size (L*W*H):2150*950*460-720mm
2. PP side rail
3. PP headboard/footboard.
4. Luxurious castors with central locking,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM006

Feature:

1. Overall size (L*W*H):2150*950*460-720mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brake,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



5-Function Manual Hospital Bed

BT-AM007

Specification:


1. Overall size (L*W*H):2150*950*460-720mm
2. PP side rail
3. PP headboard/footboard.
4. Luxurious castors with central locking,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM008

Specification:

1. Overall size (L*W*H):2170*1060*450-700mm
2. PP side rails
3. PP headboard/footboard.
4. Luxurious castors with central locking,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers




3-Function Manual Hospital Bed



BT-AM102A

Feature:

1. Overall size (L*W*H):2180*1000*450-700mm
2. PP side rail
3. PP headboard/footboard.
4. Luxurious castors with central locking, ϕ 125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM106

Feature:


1. Overall size (L*W*H):2150*950*460-720mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes, ϕ 125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM126

Specification:

1. Overall size (L*W*H):2170*1060*420-680mm
2. Steel Durable frame, PP side rails;
3. Detachable PP headboard/footboard.
4. Four silent wheels, ϕ 125mm, Central-controlled braking system.
5. With folding dinning table




2-Function Manual Hospital Bed

BT-AM202

Feature:


1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes, ϕ 125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM203

Feature:


1. Overall size (L*W*H):2150*950*500mm
2. With folding dinning board
3. Aluminum collapsible side rail
4. PP headboard/footboard.
5. Four silent wheels with brakes, ϕ 125mm
6. Standard:I.V pole,Drainage hook,bumpers



BT-AM260

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes, ϕ 125mm
5. Standard:I.V pole,Drainage hook,bumpers




2-Function Manual Hospital Bed

BT-AM261

Feature:


1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM261A

Feature:


1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers,dinning board



BT-AM262

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Standard:I.V pole,Drainage hook,bumpers



1-Function Manual Hospital Bed

BT-AM301

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM307

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers



BT-AM307A

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers,dinning board



1-Function Manual Hospital Bed



BT-AM310

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. PP headboard/footboard.
3. Four silent wheels with brakes,φ125mm



BT-AM312

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. PP headboard/footboard.



Flat Hospital Bed

BT-AM406

Feature:

- Overall size (L*W*H):2150*950*500mm




2-Function Manual Hospital Bed

BT-AM265

Feature:


- Overall size (L*W*H):2150*950*500mm



BT-AM311

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.



Flat Hospital Bed

BT-AM401

Feature:

1. Overall size (L*W*H):2150*950*500mm
2. PP headboard/footboard.



Flat Hospital Bed

BT-AM405

Feature:

- Overall size (L*W*H):2150*950*500mm




1-Function Manual Hospital Bed

BT-AM315

Feature:

- Overall size (L*W*H):2150*950*500mm



5-Function Electric Children Bed

BT-AB111A

Feature:

1. Overall size (L*W*H):1800*820*460-720mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Standard:I.V pole,Drainage hook,bumpers




2-Function Manual Children Bed



BT-AB005

Feature:


1. Overall size (L*W*H):1880*900*650-1260mm
2. Four silent wheels with brakes,φ125mm



BT-AB006

Feature:

1. Overall size (L*W*H):1950*980*520mm,
2. Bedboard:1730*850mm
3. Steel full length side rail
4. PP headboard/footboard.
5. Luxurious castors with central locking,φ125mm




2-Function Electric Children Bed

BT-AB007

Feature:

1. Overall size (L*W*H):1950*980*520mm,
2. bedboard:1730*850mm
3. Steel full length side rail
4. With remote control
5. PP headboard/footboard.
6. Luxurious castors with central locking,φ125mm



1-Function Manual Children Bed

Flat Children Bed

Orthopedic Bed



BT-AB001



Overall size (L*W*H):1800*820*500mm



BT-AB002



Overall size (L*W*H):1850*750*550mm



BT-AB003

Overall size (L*W*H):1810*900*625mm

Hospital Baby Bed



BT-AB101

Size:850*500*780-980mm



BT-AB102

Size: 810*520*940mm



BT-AB106

Size:850*460*970mm



BT-AB108

Size:820*460*1000mm



BT-AB112

Size: 850*530*920mm



BT-AB109

Size: 820*460*900mm



BT-AB115

Size:1210*690*600mm



BT-AB116

Size:800*450*900mm



BT-AO007

Feature:

1. Overall size (L*W*H):2180*960*420-660mm
2. Aluminum collapsible side rail
3. PP headboard/footboard
4. 4 silent wheels with central locking,φ125mm
5. Accessories: Orthopedic frame,dining g board



0°-75°



0°-35°



420-660mm



BT-AO005

Feature:

1. Overall size (L*W*H):2130*990*490mm
2. Aluminum collapsible side rail
3. PP headboard/footboard
4. Four silent wheels with central locking,φ125mm
5. Accessories: Orthopedic frame,dining g board



0°-75°



0°-35°



BT-AO008

Feature:

1. Overall size (L*W*H):2150*960*500-720mm
2. Aluminum collapsible side rail
3. PP headboard/footboard
4. 4 silent wheels with brakes,φ125mm
5. Accessories : Orthopedic frame



0°-75°



0°-35°



500-720mm



BT-AO009

Feature:

1. Overall size (L*W*H):2020*980*500mm
2. Aluminum collapsible side rail
3. PP headboard/footboard.
4. Four silent wheels with brakes,φ125mm
5. Accessories: Orthopedic frame



0°-75°



0°-35°

5-Function Electric Nursing Bed



BT-AE033

Features:

1. Overallsize (L*W*H):2150*1030*400mm-800mm
2. Steel frame, FDF headboard/footboard, wooden side rail,4-part wooden bedboards
3. 4 silent wheels with cross brakes,dia 125mm



BT-AE034

Features:

1. Overallsize (L*W*H):2150*1030*400mm-800mm
2. Steel frame, FDF headboard/footboard, wooden side rail,4-part wooden bedboards
3. 4 silent wheels with cross brakes,dia 125mm



BT-AE041

Features:

1. Overallsize (L*W*H):2150*1030*250-650mm
2. Steel frame, FDF headboard/footboard, wooden side rail,4-part wooden bedboards
3. 4 silent wheels with cross brakes,dia 125mm


4-Function Electric Nursing Bed



BT-AE090

Specification:


1. Overall size (L*W*H):2080*980*450mm
2. Steel Durable frame;
3. PP side rail;PP headboard/footboard
4. 4 silent castors with individual castors,φ125mm
5. Can be a chair position
6. With toilet device
7. Standard:Traction bars;Dinning board;l.V pole;Wash basin;Commode pan;Mattress



BT-AE091

Specification:

1. Overall size (L*W*H):2080*980*450mm
2. Steel Durable frame;
3. PP headboard/footboard
4. Aluminum collapsible side rail
5. 4 silent castors with individual castors.
6. Can be a chair position
7. With toilet device
8. Standard:Traction bars;Dinning board;l.V pole;Wash basin;Commode pan;Mattress



Hospital Over bed Table



BT-AT015

Size:900*450*700-990mm



BT-AT016

Size:800*320*650-900mm



BT-AT017

Size:900*450*650-900mm



BT-AT018

Size:765*385*700-1010mm



BT-AT019

Size:620*400*650-1010mm



BT-AT020

Size:800*400*650-950mm



BT-AT021

Size:600*400*650-990mm



BT-AT022

Size:600*400*650-990mm

Medical Mattress



BT-AK001



BT-AK004



BT-AK005



BT-AK011



Anti-decubitus Air Mattress(Bubble)

BT-AK006

Size:2000*900*70mm



4' Anti-decubitus Air Mattress

BT-AK012

Size:2000*900*100mm



5' Anti-decubitus Air Mattress

BT-AK015

Size:2000*900*127mm

Hospital Bedside Cabinet



BT-AL001

Size: 480*480*760mm



BT-AL002

Size: 480*480*760mm



BT-AL003

Size: 480*480*880mm



BT-AL004

Size: 500*510*710mm



BT-AL007

Size: 480*480*760mm



BT-AL008

Size: 480*480*760mm



BT-AL015

Size: 460*440*780mm



BT-AL021

Size: 480*480*760mm



BT-AL022

Size: 475*465*775mm



BT-AL023

Size: 475*465*775mm



BT-AL024

Size: 475*465*775mm



BT-AL025

Size: 475*465*775mm

IV Stand 4-Folding Medical Screen 3-Folding Medical Screen



BT-IS003

Size: 450*450*1320-2200mm
Aluminum pole, plastic base



BT-CP001A

Size: L2000*H1800*W500mm



BT-CP002A

Size: L1500*H1800*W500mm

IV Stand



BT-IS004

Size: 450*450*1100mm-2000mm
Stainless steel base & pole



BT-IS005

Size: 500*500*1100-2100mm
Steel base, Aluminum pole



BT-IS012


Size: 500*500*1100-2100mm
Plastic base, stainless steel pole



BT-IS015

Size: 550*550*1300-2200mm
Stainless steel pole & base

Medical footstep



BT-SE001

Size: 400*300*90mm



BT-SE002

Size: 400*450*200/400mm



BT-SE003B

Size: 420*350*200mm



BT-SE007B

Size: 630*380*140/280mm



BT-SE006

Size: 500*410*145/290mm

Examination Bed



BT-EA001

Size:1810*620*710mm



BT-EA002

Size:1810*620*700mm



BT-EA012

Size:1810*620*700mm



BT-EA019

Size:1900*600*700mm

Ultrasound Examination Couch

BT-EA037

Feature:

1. Product size: 2020*720*600mm
2. With automatic direction correction and paper change function
3. One handset controller, two motors (electric paper change function)
4. Silent castors with brakes, diameter: 125mm
5. Weight capacity: 170KG



Ultrasound Examination Couch



BT-EA032

Feature:

1. Product size: 2020*720*600mm
2. With automatic direction correction and paper change function
3. One handset controller, two motors (electric paper change function)
4. With lockable Cabinet
5. Silent castors with brakes, diameter: 125mm
6. Weight capacity: 170KG



BT-EA033

Feature:

1. Product size: 2100*770*620-900mm
2. Backrest lift : 0-70°
3. Height adjustment: 620-900mm
4. Trendelenburg & Rev. Trendelenburg: $\geq 12^\circ$
5. Central-controlled castors, diameter: 125mm
6. With automatic direction correction and paper change function
7. One handset controller, 4 motors (height adjust, trend & rev trend, electric paper change function)
8. With emergency stop button
9. Weight capacity: 170KG



BT-EA035

Feature:

1. Product size: 2100*770*620-900mm
2. Backrest lift : 0-70°
3. Height adjustment: 620-900mm
4. Trendelenburg & Rev. Trendelenburg: $\geq 12^\circ$
5. Bed surface forward and backward movement: 0-300mm
6. Central-controlled castors, diameter: 125mm
7. With automatic direction correction and paper change function
8. One handset controller, 6 motors (backrest adjust, height adjust, trend & rev trend, Bed surface forward and backward,electric paper change function)
9. With emergency stop button
10. Weight capacity: 170KG



BT-EA036

Feature:


1. Product size: 2100*770*620-900mm
2. Backrest lift : 0-70°
3. Seat up and down movement:0-100mm
4. Height adjustment: 620-900mm
5. Trendelenburg & Rev. Trendelenburg: $\geq 12^\circ$
6. Bed surface forward and backward movement: 0-300mm
7. Central-controlled castors, diameter: 125mm
8. With automatic direction correction and paper change function
9. One handset controller, 7 motors (backrest adjust, height adjust, Seat up and down ,trend & rev trend, Bed surface forward and backward,electric paper change function)
10. With emergency stop button
11. Weight capacity: 170KG

Hydraulic Stretcher

BT-TR001

Feature:

1. Size: 2100*850*630-950mm
2. Aluminum collapsible side rails
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Back section can be translucent for x-ray
6. Shockproof the fifth wheel
7. Silent castors with central locking system, $\phi 200$ mm
8. Weight load: 250KG
9. Standard: 6cm PU foam mattress, bumpers, IV pole



BT-TR005

Feature:

1. Size: 2100*850*630-950mm
2. Aluminum collapsible side rails
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Full body can be translucent for x-ray with x-ray tray
6. Shockproof the fifth wheel
7. Silent castors with central locking system, $\phi 200$ mm
8. Weight load: 250KG
9. Standard: 6cm PU foam mattress, bumpers, IV pole, monitor shelf




Hydraulic Stretcher with weighing system

BT-TR006

Feature:

1. Size: 2100*850*630-950mm
2. Aluminum collapsible side rails
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Full body can be translucent for x-ray with x-ray tray
6. With weighing system
7. Shockproof the fifth wheel
8. Silent castors with central locking system, $\phi 200$ mm
9. Weight load: 250KG
10. Standard: 6cm PU foam mattress, bumpers, IV pole




Hydraulic Stretcher

BT-TR008

Feature:

1. Size: 1930*700*630-930mm
2. PP side rails, PP bed board
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Shockproof the fifth wheel
6. Silent castors with central locking system, $\phi 200$ mm
7. Weight load: 250KG
8. Standard: 2cm mattress, IV pole




Hydraulic Stretcher

BT-TR033

Feature:


1. Size: 2150*830*560-890mm
2. PP Side rail can be fixed at a horizontal position for drip and puncture
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Backrest can be translucent for x-ray
6. Shockproof the fifth wheel
7. Size for oxygen bottle holder: $\phi 140$ mm, max 4L
8. Silent castors with central locking system, $\phi 200$ mm
9. Weight load: 250KG
10. Standard: 6cm PU foam mattress, bumpers, IV pole, monitor shelf



BT-TR035

Feature:

1. Size: 2150*810*590-910mm
2. Aluminum collapsible side rails
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Backrest can be translucent for x-ray
6. Shockproof the fifth wheel
7. Silent castors with central locking system, $\phi 200$ mm
8. Weight load: 250KG
9. Standard: 5cm PU foam mattress, bumpers, IV pole



Hydraulic Stretcher

BT-TR036

Feature:

1. Size: 2150*810*610-930mm
2. Aluminum collapsible side rails
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Full body can be translucent for x-ray with x-ray tray
6. Shockproof the fifth wheel
7. Silent castors with central locking system, $\phi 200$ mm
8. Weight load: 250KG
9. Standard: 5cm PU foam mattress, bumpers, IV pole



BT-TR037

Feature:

1. Size: 2150*780*630-950mm
2. PP Side rail can be fixed at a horizontal position for drip and puncture,
3. Pressure for 10kg
4. Two separate hydraulic Pumps
5. Hydraulic control panels at both sides
6. Backrest can be translucent for x-ray
7. Shockproof the fifth wheel
8. Silent castors with central locking system, $\phi 200$ mm
9. Weight load: 250KG
10. Standard: 5cm PU foam mattress, bumpers, IV pole, monitor shelf



Manual Transfer Stretcher

BT-TR002

Feature:

1. Size: 1930*640*540-840mm
2. PP side rails and bedboard
3. Shockproof the fifth wheel
4. Silent castors with central locking system, ϕ 150mm
5. Weight load: 150KG
6. Standard: 2cm mattress, IV pole



0°-75° 540-840mm



Connecting stretcher trolley for operation room

BT-TR003

Feature:

1. Size: 3650*640*640-970mm
2. The top stretcher structure is made of coated steel
3. Railway for connecting 2 trolley is made of aluminum alloy
4. Two PP side rails for top stretcher
5. The grey wheels are used outside operation room, the red one is used inside operation room
6. Silent castors with centrally locking system, ϕ 150mm.
7. Two trolleys join together, lift and down separately
8. Stretcher can be locked automatically with the trolley
9. stretchers can be moved smoothly when these two trolleys are at the same level
10. Maximum loading capacity: 250kg.
11. Standard: 2cm mattress, IV pole



0°-75° 640-970mm



Manual Transfer Stretcher

BT-TR032

Feature:

1. Size: 1930*645*510-850mm
2. Bed board: Integrated molding of PP resin
3. Bed frame: Aluminum alloy and high quality steel
4. Mattress: PU cover, inner polyurethane foam
5. Castors: Double sided with central locked, diameter 150mm
6. Size for oxygen bottle holder: diameter 140mm, max 4L
7. Safe working load: 170KG



0°-70° 510-850mm



BT-TR061

Feature:

1. Size: 1930*690*510~850mm
2. Bed board: Integrated molding of PP resin
3. Side rail: 2pcs ABS big side rail
4. Bed frame: Aluminum alloy and high quality steel
5. Mattress: PU cover, inner polyurethane foam
6. Castors: Double sided with central locked, diameter 150mm
7. Size for oxygen bottle holder: diameter 140mm, max 4L
8. Safe working load: 170KG



0°-70° 510-850mm




Manual Transfer Stretcher

BT-TR062

Feature:


1. Size:1930*770*510~850mm
2. Bed board:Integrated molding of PP resin
3. Side rail: 4pcs ABS side rail
4. Bed frame:Aluminum alloy and high quality steel
5. Mattress:PU cover, inner polyurethane foam
6. Castors:Double sided with central locked, diameter 150mm
7. Size for oxygen bottle holder:diameter 140mm,max 4L
8. Safe working load:170KG



BT-TR065

Feature:

1. Size:1930*645*510~850mm
2. Bed board:Integrated molding of PP resin
3. Side rail: 4pcs 3-rank al-alloy side rail
4. Bed frame:Aluminum alloy and high quality steel
5. Mattress:PU cover, inner polyurethane foam
6. Castors:Double sided with central locked, diameter 150mm
7. Size for oxygen bottle holder:diameter 140mm,max 4L
8. Safe working load:170KG




Electric Transfer Stretcher

BT-TR007

Feature:


1. Size: 2100*850*720-950mm
2. Aluminum collapsible side rails
3. Electric control panels at both sides
4. Back section can be translucent for x-ray
5. Shockproof the fifth wheel
6. Silent castors with central locking system,φ200mm
7. Weight load:250KG
8. Standard:5cm PU foam mattress, bumpers,IV pole



BT-TR009

Feature:

1. Size: 1930*640*540-840mm
2. PP side rails and bedboard
3. Shockproof the fifth wheel
4. Electric control panels at both sides
5. Silent castors with central locking system,φ150mm
6. Weight load:150KG
7. Standard:2cm mattress,IV pole




Electric Transfer Stretcher

BT-TR010

Feature:

1. Size: 1930*700*630-930mm
2. PP side rails, PP bed board
3. Two separate hydraulic Pumps
4. Electric control panels at both sides
5. Shockproof the fifth wheel
6. Silent castors with central locking system, $\phi 200$ mm
7. Weight load: 250KG
8. Standard: 2cm mattress, IV pole




Hydraulic Stretcher

BT-TR012

Feature:

1. Size: 2050*800*700-1000mm
2. Stainless steel top tray with holes
3. Two separate hydraulic Pumps
4. Hydraulic control panels at both sides
5. Silent castors with central locking system, $\phi 200$ mm
6. Weight load: 250KG



Stretcher Trolley

BT-TR022

Feature:

1. Size: 1950*610*750mm
2. Stainless steel frame and side rail
3. Silent castors with brakes, $\phi 125$ mm
4. Standard: mattress, IV pole, basket



BT-TR023

Feature:

1. Size: 1950*610*750mm
2. Stainless steel frame and side rail
3. Silent castors with brakes, $\phi 125$ mm
4. Standard: mattress, IV pole, basket



BT-TR039

Feature:

1. Size: 1950*610*750mm
2. Stainless steel frame and side rail
3. Stretcher can be separate from stretcher
4. Silent castors with brakes, $\phi 125$ mm
5. Standard: mattress, IV pole, basket



BT-TR014

Feature:

1. Size: 1900*630*600-800mm
2. Stainless steel frame and side rail
3. Stretcher can be separate from stretcher
4. Silent castors with brakes, $\phi 125$ mm
5. Standard: mattress, IV pole



Electric Delivery Bed



BT-LD017

Feature:

4 Motors,embedded operators on side rail;Manual CPR;With backup battery, emergency-stop button.High quality polyurethane mattress.

Technical Parameters:

- 1.Overall size: L 2100*W940*H680*-980mm
2. Back section turning: $\geq 75^{\circ}$
3. Seat section turning: $\geq 15^{\circ}$
4. Trendelenburg $\geq 15^{\circ}$ Anti-Trend $\geq 5^{\circ}$
5. Castor Diameter: 150mm



BT-LD018

Feature:

4 motors,with backup battery, emergency-stop button,High quality polyurethane mattress.

Technical Parameters:

- 1.Overall size: L 2100*W940*H680*-980mm
2. Back section turning: $\geq 75^{\circ}$
3. Seat section turning: $\geq 15^{\circ}$
4. Trendelenburg $\geq 15^{\circ}$ Anti-Trend $\geq 5^{\circ}$
5. Castor Diameter: 150mm

Electric Delivery Bed



BT-LD002

Technical Parameters:

1. Overall size: L 2110*W980*H690*-1024mm
2. Back section turning: $\geq 70^{\circ}$
3. Trendelenburg $\geq 12^{\circ}$
4. Side rail rotate:180°



BT-LD002B

Technical Parameters:

1. Overall size: L 2110*W980*H680*-985mm
2. Back section turning: $\geq 70^{\circ}$
3. Trendelenburg $\geq 6^{\circ}$ Anti-Trend $\geq 5^{\circ}$
4. Side rail rotate:180°

Electric Delivery Bed

Feature:

1. Imported Denmark Linak gear engine
2. Chair type position
3. ultra-low position

Specification:

1. Length: 1900mm $\pm$ 50mm
2. Width: 80mm $\pm$ 50mm
3. Min-max height:(550-800) $\pm$ 50mm
4. Backboard up folded: $\geq$ 60°
5. Trendelenburg: $\geq$ 5° Rev-Trend: $\geq$ 12°
6. Foot board height adjustment: $\geq$ 100mm
7. Foot board upward: $\geq$ 40° Foot board outward: $\geq$ 90°
8. Input power: 150 $\pm$ 10%



BT-LD006

Feature:

Linak motor, Manual CPR

Technical Specifications:

1. Length: 2350mm(with headboard),
2. Width:960mm(with guardrail)
3. Height Adjustment: 550-850($\pm$ 50)mm
4. Backboard Upwards: $\geq$ 60°
5. Seatboard Upwards: $\geq$ 12°
6. Trendelenburg: $\geq$ 3° Rev-Trend: $\geq$ 12°
7. Leg board upwards: $\geq$ 75°
8. Leg board split: $\geq$ 45°
9. Foot Lift: $\geq$ 200($\pm$ 30)mm
10. Input Power: 150 $\pm$ 10%VA



BT-LD007

Electric Delivery Bed



BT-LD016

Technical Parameters:

1. Overall size: L 1900*W650*H700*-950mm
2. Back section turning: $\geq$ 65°
3. Seat section turning: $\geq$ 15°
4. Trendelenburg $\geq$ 20° Anti-Trend $\geq$ 10°
5. Castor Diameter: 125mm



BT-LD015

Feature:

1. This table is suitable for gynaecology and obstetric examination, diagnosis labor, delivery, recovery.
2. It had headboard and guardrails, which can protect lying-in woman.
3. 125mm castors use central control system, very easy to move.
4. The leg section can be hidden, convenient for use.
5. It adopts famous brand motors, smooth and silent operation.
6. The height adjustment, back section, trendelenburg adjustment are all controlled by motors.

Specification:

Dimension:1920*920-600-980mm
Back Section Adjustment(electric):+65°
Trendelenburg(electric): +5°/-2°

Electric Gynecology Chair



BT-GC020

Feature:

2 Motors,with backup battery,paper-roll holder,Led exam lamp.

Technical Parameters:

Overall size: L 1340*W520*H680*-930mm
Back section turning: $\geq -8^{\circ} \sim 70^{\circ}$
Anti-Trend $\geq -10^{\circ} \sim 20^{\circ}$

Technical Parameters:

Overall size: L 1420*W570*H600*-1200mm
Weight load:135KG



BT-GC021

Gynecology Chair BT-GC003



Technical Parameters:

Table top dimension: length 1800mm, width 610mm
Min & Max. table height: 510mm-810mm
Back section turning: $-15^{\circ} \sim 85^{\circ}$
Arm rest swing out: 90°
Foot rest swing: down $\leq 0^{\circ}$, up $\geq 90^{\circ}$
Foot rest swing out: $\geq 30^{\circ}$

Standard Accessories:

Foot switch 1 unit
Arm rest 1 set
Leg holder 1pair
Filt basin 1 piece
Paper roll holder 1 piece

Gynecology Chair BT-GC011



Technical Parameters:

With automatic paper change system
 Overall size: 1680*1040*570-850mm
 Backrest adjust: $0-65 \pm 5^\circ$
 Legrest adjust: $-20^\circ \sim +20^\circ \pm 5^\circ$
 Legrest rotate: $0^\circ \sim +180^\circ \pm 5^\circ$
 Bucket adjust: 0-100mm
 Working capacity: 170KG

Gynecology Chair BT-GC015



Feature:

1. This table is two section design, which is suitable for Gynaecology and urological examination, diagnosis and operation by medical instrument or medical mirror.
 2. The frame is sprayed.
 3. It adopts famous brand motors, smooth and silent operation.
 4. The height adjustment, back section, sitting section are all controlled by motors.
 5. Molding mattress, easy to clean.
- Dimension: 1280*600mm
 Height Adjustment(electric): 540-1100mm
 Back Section Adjustment(electric): $+70^\circ$
 Sitting Section Adjustment(electric): $+15^\circ$

Accessories:

Arm supports: 2pcs
 Leg supports: 2pcs
 Hand rails: 2pcs
 Mattress: 1pc
 Foot controller: 1pc
 Drain Basin: 1pc

Gynecology Chair BT-GC016



Feature:

1. This table is two section design, which is suitable for Gynaecology and urological examination, diagnosis and operation by medical instrument or medical mirror.
2. The frame is sprayed.
3. It adopts famous brand motors, smooth and silent operation.
4. The height adjustment, back section, sitting section are all controlled by motors.
5. Molding mattress, easy to clean.

Function:

Dimension: 1250*600mm
 Height Adjustment(electric): 500-1100mm
 Back Section Adjustment(electric): +60°
 Sitting Section Adjustment(electric): +15°

Accessories:

Hand rails: 2pcs
 Leg supports: 2pcs
 Mattress: 1pc
 Hand controller: 1pc
 Drain Basin: 1pc

Gynecology Chair BT-GC018



Feature:

1. This table is 3 section design, which is suitable for Gynaecology and urological examination, diagnosis and operation by medical instrument or medical mirror.
2. The leg section is detachable, convenient for examination use.
3. It adopts famous brand motors, smooth and silent operation.
4. The height adjustment, back section, sitting section are all controlled by motors.
5. Molding mattress, easy to clean.

Function:

Dimension: 1800*550mm
 Height Adjustment(electric): 550-900mm
 Back Section Adjustment(electric): +85°
 Sitting Section Adjustment(electric): +15°

Accessories:

Arm supports: 2pcs
 Leg supports: 2pcs
 Hand rails: 2pcs
 Mattress: 1pc
 Foot control: 1pc
 Drain Basin: 1pc

Gynecology Chair BT-EA020



Specification:

1. Chair Dimension: 117.8(Curve Length)*52mm*52cm
2. Max Back section adjust: 0 ~ 70°
3. Max leg section adjust: 7°
4. Step stool dimension: 42*23cm
5. Max patient weight: 226KG
6. Standard accessories: foot support 1pair; waste pan 1pc; paper roll rod 1pc; side drawer 3pcs; front drawer 2pcs; step stool 1pc; cushion 1pc

Gynecology Chair BT-EA025

Technical Parameters:

1. Overall Size: 1870*600*800mm
2. Backrest size: 77cm*60cm, seat board size: 56cm*60cm, footboard size: 42cm*50cm;
3. Powder coated steel structure
4. Mechanical back adjustment
5. Back Section Raised From The Horizontal: $\geq 0-60^\circ$
6. 2 big drawers at front, one cabinet at side
7. PU foam mattress, 10cm thickness
8. Folding foot step, foot step size: 43.5*41.7cm
9. Foot board hidden type, can pull out and push in
10. Adjustable leg holder
11. Paper roll holder at head side



Gynecology Couch BT-GC024



Technical Parameters:

1. Overall size: L 1850*W650*H700mm
2. Back section turning: $\geq 70^\circ$
3. Foot step size: L 400*W520*H200mm .

Electric Urodynamic exam chair BT-GC022

Technical Parameters:

1. Overall size: L 1800*W600*H720-1000mm
2. Back section turning: $\geq 10^{\circ} \sim 75^{\circ}$
3. Weight load: 135KG



Manual Urodynamic exam chair BT-GC023

Technical Parameters:

1. Overall size: L 1200*W550*H550mm
2. Back section turning: $\geq 70^{\circ}$



Gynecological Examination Bed BT-OE027



Specification:

Product Size : 180*60*80cm
Table frame made of tubular 201 stainless steel;
Fixed bases with protective plastic feet;
Adjustable three sections with independent controls
Bed top is high-density polyurethane foam,
and covered with washable faux leather: waterproof,
flame retardant
Mattress thickness: 40mm;
One pair of adjustable knee support;
one pair of handgrip;
With slide-out S.S bowl $\phi 28\text{cm}$;
Load bearing: 150kg;
Knock down construction

Manual Gynecology Bed BT-OE015B

Technical Parameters:

Table top dimension: length 1900mm,
width 600mm,height:700mm
Back section turning: $10^{\circ} \sim 45^{\circ}$
Seat section turning: $10^{\circ} \sim 38^{\circ}$
Foot section turning: $-25^{\circ} \sim 25^{\circ}$

Standard accessories:

Shoulder Rest 2
Anesthetic Screen 1
Arm support 2
Waist grab handle 1 pair
Leg holder 1 pair
Waterproof cushion 1 set



Manual Gynecology Table



BT-OE017B

Technical Parameters:

Table top dimension:
length 1900mm, width 500mm,
height:750mm
Back section turning: $15^{\circ} \sim 60^{\circ}$
Foot section turning: $0^{\circ} \sim 90^{\circ}$
Arm rest swing out: $\geq 90^{\circ}$

Standard accessories:

Waterproof cushion 1 set
Waist grab handle 1 pair
Leg holder 1 pair



BT-OE016B

Table size: 1300*500*750mm
Back Section Up: $\geq 75^{\circ}$
Back Section Down: $\geq 15^{\circ}$

Electric Obstetric Table BT-OE030



Technical Parameters:

Overall size: L1900*W600*H650-900mm
 Reverse trend $\geq 15^\circ$, trend $\geq 15^\circ$
 Back section turning: $-12^\circ \sim 60^\circ$
 Seat section up: $0 \sim 25^\circ$
 Arm rest swing out: $\geq 90^\circ$

Standard accessories:

Waterproof cushion 1 set
 Waist grab handle 1 pair
 Leg holder 1 pair
 Filth basin 1 piece
 Arm rest 1 pair
 Shoulder Rest 1 pair
 Anesthetic Screen 1 piece



Electric Obstetric Table BT-OE019



Technical Parameters:

Overall size: L1900*W600*H680-930mm
 Dimensions of Leg Section: L650mm, W600mm
 Back section adjustable: $\geq 5^\circ \sim 75^\circ$
 Reversed Trendelenburg: $\geq 15^\circ$,
 Trendelenburg: $\geq 15^\circ$

Standard accessories:

Shoulder Rest 1 pair
 Anesthetic Screen 1 piece
 Arm support 1 pair
 Leg holder 1 pair
 Waist grab Handle 1 pair
 Cushion 1 set
 Filth Basin 1 piece



Electric Obstetric Table BT-OE032



Technical Parameters:

Overall size: L1900*W600*H700-950mm
Reverse trend $\geq 15^\circ$, trend $\geq 15^\circ$
Back section turning: $0^\circ \sim 60^\circ$

Standard accessories:

Waterproof cushion 1 set
Waist grab handle 1 pair
Leg holder 1 pair
Filth basin 1 piece
Arm rest 1 pair
Shoulder Rest 1 pair
Anesthetic Screen 1 piece

Hydraulic Obstetric Table BT-OE014



Technical Parameters:

Overall size: L2000*W600*650-900mm
Reverse trend $\geq 25^\circ$, trend $\geq 10^\circ$
Back section turning: $10^\circ \sim 60^\circ$
Arm rest swing out: $\geq 90^\circ$

Standard accessories:

Shoulder Rest 1 pair
Anesthetic Screen 1 piece
Arm support 1 pair
Leg holder 1 pair
Waist grab Handle 1 pair
Cushion 1 set
Filth Basin 1 piece

Hydraulic Obstetric Table BT-OE023

Specifications:

Overall size: L1900*W600*680-920mm
Back Section: 800*600mm
Seat Section: 400*600mm
Leg Section: 650*600mm
Back section adjustable: $\geq 10^\circ \sim 45^\circ$
Reversed Trendelenburg: $\geq 8^\circ$,
Trendelenburg: $\geq 20^\circ$

Accessories:

Shoulder Rest 1 pair
Anesthetic Screen 1 piece
Arm support 1 pair
Leg holder 1 pair
Waist grab Handle 1 pair
Cushion 1 set
Filth Basin 1 piece



Electric Dialysis Chair BT-DY016



Feature:

The fabric is environmentally friendly PVC artificial leather; Steel pipe is power-coated; With CPR function, headrest, footrest, IV pole and Trendelenburg position. Optional: Dining Table

Technical Parameter:

Two motors to adjust chairs backrest and legrest, electric CPR	
4 silent wheels with brakes, Diameter 100mm	
Overall size	L100 x W88 x H132cm(Chair Position)
	L190 x W88 x H160cm(Bed Position)
Backrest adjustment	-10°~ 75°±5°
Legrest adjustment	-80°~ 12°±5°
Trendelenburg	-12°
Weight load	200KG

Electric Dialysis Chair With Height adjustment BT-DY016C



Feature:

The fabric is environmentally friendly PVC artificial leather; Steel pipe is power-coated; With CPR function, headrest, footrest, IV pole and Trendelenburg position. Optional: Dining Table

Technical Parameter:

Three motors to adjust chairs backrest and legrest, Height and electric CPR	
4 silent wheels with brakes, Diameter 100mm	
Overall size	L106 x W88 x H130cm(Chair Position)
	L190 x W88 x H56-82cm(Bed Position)
Backrest adjustment	-10°~ 75°±5°
Legrest adjustment	-80°~ 12°±5°
Trendelenburg	-12°
Height adjustable	560-820 mm
Weight load	200KG
Steel frame, PVC mattress	

Manual Dialysis Chair BT-DY016A



Feature:

The fabric is environmentally friendly PVC artificial leather; Steel pipe is power-coated; With CPR function,headrest,footrest,IV pole and Trenberg position. Optional: Dinning Table

Technical Parameter:

Gas spring to adjust chairs backrest and legrest	
Overall size	L100 x W88 x H132cm(Chair Position)
	L190 x W88 x H160cm(Bed Position)
Backrest adjustment	-10°~ 75°±5°
Legrest adjustment	-80°~ 12°±5°
Trendelenburg	-12°
Weight load	200KG

Electric Dialysis Chair BT-DY017



PARAMETER:

Total Length	1950mm+20mm
Seat width	600mm (total width 900mm including armrest)
Seat height	580-780mm+20mm
Backrest length	860mm+20mm
Height of armrest	230-290mm+20mm
Backrest Adjustment	(-12°-75°)+5°
Legrest Adjustment	(-75°-12°)+5°
Trendelenburg	12°
Castors	4* Diameter 100mm swivel castors with brakes.
Pillow size	410mmx230mmx80mm+20mm
Safe Maximum Load	240KGS
Weight	70KGS

Electric Dialysis Chair



BT-DY001A

Technical Parameter:

3 Linak motors to adjust chairs backrest and legrest	
Overall size	L2000 x W920 x H550mm
Backrest adjustment	-12°~75°
Legrest adjustment	-45° ~12°
Trendelenburg	-12°
Seat Height	550mm
Castors	4pcs 100mm swivel castors with brakes



BT-DY002

Technical Parameter:

Four Denmark LINAK motors to adjust chairs backrest and legrest, seat height	
Overall size	L2000 x W920 x H550-880mm
Backrest adjustment	-12°~75°
Legrest adjustment	-75° ~12°
Trendelenburg	-12°
CPR Function provided	
Castors	4pcs 100mm swivel castors with brakes



BT-DY003

Technical Parameter:

Four Denmark LINAK motors to adjust chairs backrest and legrest,height	
With display screen weighing system	
Overall size	L2000 x W920 x H550-880mm
Backrest adjustment	-12°~75°
Legrest adjustment	-75° ~12°
Trendelenburg	-12°
CPR Function provided	

Electric Blood Donation Chair



BT-DN001

Specification:

1. Chair Dimension: 1700mm(Curve Length)*560*570-830mm
2. Head section turn: -15°~ 25°
3. Back section lift: 0 ~ 80°
4. Leg section turn: 0 ~ -90°
5. Arm Board swing out: 0 ~ 45°
6. Arm board height adjustment: 100mm
7. Arm board slide: 100mm
8. Arm board declining angle adjustment: -15°~ 10 °
9. Arm board dimension: 450*160mm
10. Trend and reverse trend: 0 ~ 12°
11. Arm board Concave Radian: R108



BT-DN006

Specification:

1. Dimension: 1700mm(Curve Length)*560*570-830mm
2. Head section turn: -15°~ 25°
3. Back section lift: -5 ~ 70°
4. Leg section turn: -65 ~ 5°
5. Foot support telescopic: 100mm
6. Foot support turn: 0-90°
7. Fixed angle of seat section: 5°
8. Arm Board swing out: 0 ~ 45°
9. Arm board height adjustment: 100mm
10. Arm board slide: 100mm
11. Arm board declining angle adjustment: -15°~ 10 °
12. Arm board dimension: 450*160mm
13. Trend and reverse trend: 0 ~ 12°
14. Arm board Concave Radian: R108



BT-DN003

Specification:

1. Chair Dimension: 1650mm(Curve Length)*560mm
2. Back section lift: 0 ~ 70°
3. Leg section turn: 0 ~ -60°
4. (leg section and back section work as one unite)
5. Arm Board swing out: 0 ~ 45°
6. Arm board height adjustment: 100mm
7. Arm board dimension: 450*160mm
8. Arm board Concave Radian: R108

Manual Blood donation Chair

BT-DN008

Specification:

Back,leg,seat sections are manual Arm board move and swing operated by manual

1. Chair Dimension: 1650mm(Curve Length)*560mm
2. Back section lift: 0 ~ 70°
3. Leg section turn: 0 ~ -60°
4. leg section and back section work as one unite
5. Arm Board swing out: 0 ~ 45°
6. Arm board slide: 100mm
7. Arm board dimension: 450*160mm



BT-DN009

Specification:

1. Blood donor chair is the simplest design.
2. It is light and easy for carry.
3. Which has wheels and head section handle.
4. Arm rest adjustable for various angle.
5. Length of chair (curve length) 1672 mm
6. Width of chair: head section 522 mm,leg section 616 mm
7. Height (when chair open): 592mm



BT-DN010

Specification:

1. Overall size: 1900*580*500mm
2. Backrest adjustable: 20°- 70°
3. Leg adjustable: 20°-75°
4. Armrest adjustable
5. With dining board

BT-DN019

Specification:

1. Chair Dimension: Open 1680mm*910*520mm, Chair 910*760*124mm
2. Back section lift: 0 ~ 70°
3. Leg section turn: 0 ~ -60°
4. leg section and back section work as one unite
5. Arm Board swing out: 0 ~ 45°
6. Arm board slide: 100mm
7. Arm board dimension: 480*270mm



BT-DN026

Specification:

1. Size: 650*850*950mm
2. Powder coated steel structure
3. Upholstery PU with foam
4. Front Padded arm rest, adjustable 360degree swivel; side arm rest height adjustable
5. Rubber feet cushion
6. Optional: Drawer

Electric Blood donation Chair



BT-DN028

Specification:

1. 4 Motors control height, backrest ,leg rest adjustment
2. Overall size: 1800*750mm*550mm-750mm
3. Backrest adjustable: 20°- 70°
4. Leg adjustable: 20°- 75°
5. Adjustable armrest
6. 4 silent castors with brakes
7. Standard:dining table



BT-DN030

Specification:

1. 3 Motors control height, backrest ,leg rest
2. Overall size: 1800*750mm*550mm-750mm
3. Backrest adjustable: 20°- 70°
4. Leg adjustable: 20°- 75°
5. Adjustable armrest
6. 4 silent castors with brakes
7. Standard:dining table

Elderly care recliners BT-CN019



Technical Parameter:

The fabric is high-quality environmentally friendly leather, the steel pipe is powder-coated; the chair is adjusted pneumatically, there are plastic dining tables on both sides; 5-inch casters, rear castors with brakes; The side panels are integrally injection-molded for easy installation and cleaning.

1. Overall Size: 56*83*128cm table folding
2. Overall Size: 129*83*128cm table unfolding
3. Backrest adjustment :37-61°
- 4 Footrest adjustment: 13-36°
5. Gas spring control backrest & footrest
6. Weight limit:120KGS
7. Diameter of caster:5" Caster
8. Corresponding color:Blue/Red/Jade

Elderly care recliners BT-CN020



Technical Parameter:

The fabric is high-quality environmentally friendly leather; Steel pipe is powder-coated, shaped foam sponge mattress; Plastic dining table, the dining table can be adjusted back and forth for convenience; 5-inch casters, rear castors with brakes; Height of foot pedals is adjustable; The side panels are integrated Injection molding is easy to install and clean.

1. Overall Size: 140*73*119cm (Chair Position)
2. Backrest adjustment :37-61°
3. Footrest adjustment: 13-36°
4. Gas spring control backrest & footrest
5. Weight limit:120KGS
6. Diameter of caster:5" Caster
7. With height adjustable foot pedal
8. The memory foam mattress
9. With adjustable dining table
10. Color Option:Blue/Red/Jade

Elderly care recliners BT-CN021



Technical Parameter:

The fabric is high-quality environmentally friendly leather; Steel pipe is power-coated; Plastic dining table, the dining table can be adjusted back and forth for convenience; 5-inch casters, rear castors with brakes; Hidden footrest; The side panels are integrated Injection molding is easy to install and clean.

1. Overall width: 110×66×118cm (Chair Position)
2. Backrest adjustment: 37-61°
3. Footrest adjustment: 13-36°
4. Gas spring control backrest & footrest
5. Weight limit: 120KGS
6. Diameter of caster: 5" Caster
7. With adjustable dining table
8. Corresponding color: Blue/Red/Jade



Hospital Accompany Chair



BT-CN001

Folding size: 65*62*58cm
Unfolding size: 190*62*42cm
Waterproof PVC cover with foam inside
Power-coated steel frame, 6 wheels
N.W.: 22.5KG



BT-CN006

Folding size: 66*68*93cm
Unfolding size: 186*68*40cm
PVC cover with foam inside
Steel frame, 6 wheels
N.W.: 32KG



BT-CN014

Folding size: 80×71×43cm
Unfolding size: 204×71×43cm
PVC cover with foam inside
steel frame, 6 wheels
N.W.: 36KG



BT-CN005

Folding size: 65*78*102cm
Unfolding size: 206*65*45 cm
Steel frame, PVC cover with foam inside
Al-ally side rails, 6 wheels
N.W.: 38KG



BT-CN013

Folding size: 78*75*45cm
Unfolding size: 206*75*45cm
PVC cover with foam inside
Power-coated steel frame
Al-ally side rails, N.W.: 36KG



BT-CN015

Folding size: 83*85*96cm
Unfolding size: 208*102*43cm
PVC cover with foam inside
steel frame, 6 wheels
N.W.: 55KG

Hospital Accompany Chair



BT-CN017

Folding size:84*80*96cm,
unfolding size:210*85*62mm
PVC cover with foam inside
steel frame,6 wheels
N.W.: 55KG



BT-CN010

Hospital Folding Bed
Folding size: 1200*335*600mm
Unfold size: 1820*600*500mm
Steel frame, 2-part bed board,With handrails
Mattress:6mm thickness, With 6 wheels

Hospital Transfusion Chair



BT-TN001

Size: 77*68*108cm
PVC mattress with foam inside
Backrest is adjustable,steel frame
with basket, IV pole



BT-TN005

Size: 90*75*115 cm
PVC mattress with foam inside
Backrest is adjustable,steel frame
With dining table, IV pole



BT-TN006

Size: 80*80*113cm
PVC mattress with foam inside
Backrest is adjustable,steel frame
With basket



BT-TN008

Folding size:850*800*1070mm
unfolding size:850*1600*620mm
Backrest is adjustable,steel frame
With IV pole, 4 silent castors

Doctor Chair



BT-DS008

Size: Dia 400*500-660mm
Chrome paint frame



BT-DS010

Stainless steel material
Size:310*610-750mm



BT-DS011

Stainless steel material
Size:310*610-750mm



BT-DS012

Stainless steel material
Size:310*610-750mm



BT-DS013

Steel material
Size:340*270*430mm



BT-DS017

Size:φ560*510-690mm

Hospital Waiting Chair



BT-ZC001

Size:1730*630*730mm



BT-ZC002

Size:1730*630*730mm



BT-ZC004

Size:1800*670*790mm



BT-ZC005

Size:1750*680*770mm



BT-ZC006

Size:1750*640*750mm



BT-ZC009


Size:1860*640*840mm

Medical Workstation Trolley

Model	Size
BT-LY32	480*520*900-938/1138mm

Feature:

1. Tabletop is made of ABS material by injection molding techniques;
2. Height of tabletop adjustable;
3. With space for mouse ,keyboard;
4. Two Drawers;
5. Fan-shaped chassis,move more steady.



Model	Size
BT-LY26	480*520*900-938/1138mm



Battery switch

Model	Size
BT-LY33	480*520*900-938/1138mm



Battery switch

Model	Size
BT-LY33A	480*520*900-938/1138mm



Model	Size
BT-LY01	480*520*900-938/1138mm

Medical Workstation Trolley BT-LY31

1.Notebook computer

2.Height of tabletop adjustable

3.Instrument storage

4.Double-side silent castors
(two with brakes)

5.Push handle

6.Mouse

7.Needle disposal holder

8.Storage drawer




Model	Size
BT-LY01A	480*520*900-938/1138mm



Model	Size
BT-LY22	533*764*890-1290mm

Crash Cart



Optional Color:Blue



Optional Color:Red and white



Optional Color:Green



With digital lock



Turning type disposable lock



Disposable lock



Option bins
Dust bins with foot pedal

Crash Cart



Optional Color:Blue



Optional Color:Red



Optional Color:Pink



Model	Size
BT-EY006	Size:625*475*930mm



Model	Size
BT-EY006A	Size:625*475*930mm



Model	Size
BT-EY006C	Size:625*475*930mm

Crash Cart



BT-EY001C Size:850*520*950mm
Size:750*475*950mm



BT-EY002 Size:850*520*950mm
BT-EY002B Size:750*475*950mm



BT-EY002C Size:850*520*950mm
Size:750*475*950mm



BT-EY003 Size:760*480*930mm



BT-EY004 Size:760*480*930mm



BT-EY21 Size:600*480*980mm



BT-EY22 Size:780*480*980mm



BT-EY23 Size:780*480*980mm



BT-EY25 Size:780*480*980mm



BT-EY26 Size:650*485*950mm



BT-EY27 Size:750*475*950mm



BT-EY28 Size:790*610*1000mm



BT-EY31 Size:750*480*930mm



BT-EY33 Size:615*560*1020mm



BT-EY34 Size:840*505*960mm



BT-EY35 Size:650*495*1010mm

Anesthesia Trolley



BT-AY001 Size:850*520*950mm



BT-AY001 Size:850*520*950mm



BT-AY002 Size:850*520*950mm



BT-AY005 Size:625*475*930mm

BT-AY001B Size:750*475*950mm

BT-AY001B Size:750*475*950mm

Size:750*475*950mm



BT-AY005 Size:625*475*930mm



BT-AY006 Size:625*475*930mm



BT-AY003 Size:750*475*950mm



BT-AY20 Size:600*480*980mm



BT-AY20A Size:600*480*980mm



BT-AY010 Size:690*520*950mm



BT-AY011 Size:690*520*950mm



BT-AY012 Size:750*480*930mm



BT-AY23 Size:780*480*980mm



BT-AY27 Size:750*480*930mm



BT-EY36 Size:615*560*1020mm



BT-EY37 Size:840*505*960mm

Medicine Trolley



BT-MY001 Size:850*520*950mm
Size:750*475*950mm



BT-MY002 Size:850*520*950mm
Size:750*475*950mm



BT-MY002A Size:850*520*950mm
Size:750*475*950mm



BT-MY003 Size:760*480*930mm



BT-MY004 Size: 625*475*920mm



BT-MY014 Size: 625*475*920mm



BT-MY20 Size: 600*480*980mm



BT-MY21 Size:600*480*980mm



BT-MY22 Size: 780*480*980mm



BT-MY23 Size: 780*480*980mm



BT-MY26 Size: 600*480*980mm



BT-MY27 Size:750*475*950mm



BT-MY27 Size: 840*505*960mm



BT-MY28 Size: 600*470*1090mm



BT-MY29 Size: 600*470*1090mm



BT-MY30 Size:600*470*1090mm

Clinical Trolley



BT-CY004 Size: 625*475*920mm



BT-CY011 Size: 625*475*920mm



BT-CY029 Size: 625*475*920mm



BT-CY030 Size:750*520*950mm



BT-CY003 Size: 610*410*830mm



BT-CY017 Size: 625*475*920mm



BT-CY018 Size: 750*520*950mm



BT-CY006 Size:625*475*920mm

Patient Record File Trolley



BT-CHY001 Size:820*390*880mm



BT-CHY002 Size: 510*390*880mm



BT-SIT027



BT-SIT026
Trolley Size: 860*550*970mm
Tray Size: 560*465*110mm Outside
485*385*100mm Internal



BT-LY13 Size: 700*630*1650mm



BT-IS016 Height 1m



BT-IS019 Height 1m



BT-IS020 Height 80cm

Endoscope Trolley

Waste Linen Trolley



BT-SLT008 Size::800*590*890mm



BT-SLT009 Size::588*420*890mm



BT-SLT008A Size::800*590*890mm



BT-SLT009A Size::588*420*890mm

Laundry Clean Trolley



BT-SLT001 Size:700*500*900mm



BT-SLT006 Size:900*500*1050mm



BT-SLT014 Size:1185*570*936mm



BT-SLT020 Size:980*541*936mm

Steel-plastic Medical Trolley



BT-SPY001 Size: 670*475*985mm



BT-SPY002 Size: 670*475*985mm



BT-SPY003 Size: 670*475*985mm



BT-SPY005 Size: 670*475*985mm

ABS Utility Trolley



BT-UY004 Size:640*456*860mm



BT-UY007 Size:539*366*860mm



BT-UY008A Size:640*456*860mm



BT-UY017A Size:640*456*860mm

Instrument Cabinet



BT-AP001 Size:900*400*1800mm



BT-AP002 Size:900*400*1800mm



BT-AP003 Size:900*400*1800mm



BT-AP004 Size:900*400*1800mm



BT-AP005 Size:900*400*1800mm



BT-AP006 Size:900*400*1800mm



BT-AP007 Size:900*400*1800mm

Wardrobe



BT-AP009 Size:1800*500/300*1800mm



BT-AR001 Size:900*400*1800mm



BT-AR002 Size:900*400*1800mm

Medical Trolley



BT-SIT028 Size:600*400*970mm



BT-SIT029 Size:600*400*970mm



BT-SIT030 Size:500*500*900mm



BT-SIT031 Size:500*500*900mm



BT-SIT032 Size:480*430*870mm



BT-SIT035 Size:600*400*970mm



BT-SIT037 Size:600*400*970mm



BT-SIT040 Size:600*400*970mm



BT-SIT041 Size:600*400*970mm



BT-SIT042 Size:600*400*970mm



BT-SIT043 Size:600*400*970mm



BT-SIT045 Size:600*400*970mm



BT-SIT046 Size:600*400*970mm



BT-SIT047 Size:600*400*970mm



BT-SIT048 Size:600*400*970mm



BT-SET008 Size:750*400*800mm

Medical Trolley



BT-SMT001
Size: 650*400*940/1400mm
tray size: 350*500mm



BT-SMT002
Size: 650*400*940/1400mm



BT-SMT005
Size: 680*460*940/1400mm



BT-SMT007
Size: 600*400*900/1400mm



BT-SIT003 Size: 900*500*900mm



BT-SIT006 Size: 600*400*900mm



BT-SIT007 Size: 900*500*900mm



BT-SIT008 Size: 600*400*900mm



BT-SIT017



BT-SIT018
Size:1200*600*1050mm
Size:1100*560*1000mm
Size:1000*520*950mm
Size:900*480*900mm
Size:800*440*850mm
Size:700*400*800mm



BT-SCT001 Size:700*450*1000mm



BT-SIT001 Size:1320*400*1000mm

Medical Trolley



BT-SAT001 Size: 650*405*920mm



BT-SAT002 Size: 650*405*920mm



BT-SET001 Size: 650*405*920mm



BT-SDT006 Size: 850*550*900mm



BT-SLT022
Dia 450*750mm



BT-SLT023
Size: 700*500*900mm



BT-CHY016
Size: 640*400*970m



Kick Bucket
BT-SKT001 Bucket size:φ23/φ29*24CM
Base size:φ38*10CM



Dressing Delivery Cart
BT-SDT001 Size: 1200*600*1000mm



Trolley with flat plate
BT-SDT007 Size: 850*500*900mm



Oxygen Bottle Cart
BT-SDT008 Size: 330*330*1200mm



Hand washing Trolley
BT-SNT004 Size: 550*800-1000mm

Goods rack



BT-GR001 Size: 1200*600*1800mm



BT-GR002 Size: 1800*500*1800mm



BT-GR004 Size: 990*670*1400mm



BT-GR005 Size: 650*420*1500mm

Working Table



BT-WKT02 Size: 1800*800*800mm



BT-WKT04 Size: 1400*750*800mm



BT-WKT05 Size: 2000*1400*800/1450mm



BT-WKT06 Size: 2000*1400*800/1450mm

Medical Scrub Sink



BT-WSK05 Size: 1600*580*1450mm



BT-WSK06 Size: 1600*580*1200mm



BT-WSK09 Size: 1500*600*1800mm



BT-WSK10 Size: 2000*600*1800mm

Ambulance stretcher


BT-TA001

Product Size (L*W*H):
High Position: 190*55*90cm;
Low Position: 190 *55*26cm
Maximum Back Angle: 65°
Self-weight: 36KG,Limited Loading: 160kg


BT-TA002

Product Size (L*W*H): High Position:
190 * 55 * 90cm; Low Position: 190 *55*26cm
Maximum Back Angle: 65°
Self-weight: 38KG,Limited Loading: 160kg


BT-TA003 Separate Type

Product Size (L*W*H):
High Position: 190*55*90cm;
Low Position: 190 *55*26cm
Maximum Back Angle: 65°
Self-weight: 40KG,Limited Loading: 160kg


BT-TA004

Product Size (L*W*H): High Position:
190*55*90cm; Low Position: 190 *55*30cm
Maximum Back Angle: 65°
Self-weight: 38KG,Limited Loading: 160kg


BT-TA006

Product Size (L*W*H):
High Position: 190*55*80cm;
Low Position: 190*55*26cm
Maximum Back Angle: 85°
Self-weight: 33KG,Limited Loading: 160kg


BT-TA009

Product Size (L*W*H): 194*55*48cm
Maximum Back Angle: 65°
Self-weight: 27KG,Limited Loading: 160kg

MRI stretcher


BT-TA010

Product Size (L*W*H): 190*55*70.5cm
Maximum Back Angle: 65°
Self-weight: 27KG,Limited Loading: 160kg


BT-TA015

Product Size (L*W*H): High Position:
190*55*88cm; Low Position: 190*55*40cm
Maximum Back Angle: 65°
Self-weight: 34.5KG,Limited Loading: 160kg

Rescue Bed


BT-TA011

Product Size (L*W*H): High Position: 190*55*88cm;
Low Position:190*55*50cm
Self-weight: 31KG,Loading Capacity: 160kg


BT-TA013

Product Size (L*W*H): 195*60*76cm
Stainless steel, With IV pole, castors


BT-TA012

Product Size (L*W*H): High Position: 190*55*88cm;
Low Position:190*55*50cm
Maximum Back Angle: 65°
Self-weight: 32KG,Loading Capacity: 160kg


BT-TA014

Product Size (L*W*H): 195*60*76cm
Backrest is adjustable
Stainless steel, With IV pole, castors

Scoop Stretcher

BT-TP001

BT-TP002

BT-TP003

BT-TP004


Model No.	Product Size (L*W*H) Open	Product Size (L*W*H) Folding	Self-weight	Loading Capacity
BT-TP001	202*42*7cm	118*42*7cm	8KG	160kg
BT-TP002	190*42*7cm	/	9KG	160kg
BT-TP003	190*45*7cm	120*45*7cm	7KG	160kg
BT-TP004	202*42*7cm	118*42*7cm	8KG	160kg

Stair Chair



BT-TY001

Product Size (L*W*H): Open 91*52*19cm,
folding 52*48*91cm
Self-weight: 11KG,Loading Capacity: 160kg



BT-TY003

Product Size (L*W*H): Open 185*54*20cm,
folding 97*54*9cm
Self-weight: 8KG,Loading Capacity: 160kg

Folding Stretcher

BT-TF001



BT-TF002



BT-TF007



BT-TF009



Model No.	Folding Type	Product Size (L*W*H) Open	Product Size (L*W*H) Folding	Self-weight	Loading Capacity
BT-TF001	Double folding	205*53*13cm	102*17*8cm	5kg	160kg
BT-TF002	Double folding with 4 castors	205*53*13cm	102*17*8cm	5kg	160kg
BT-TF007	No folding	205*53*13cm	205*53*8cm	5kg	160kg
BT-TF009	Double folding	220*53*15cm	97*20*9cm	8kg	190kg

Folding Stretcher

BT-TF010



BT-TF011



Model No.	Folding Type	Product Size (L*W*H) Open	Product Size (L*W*H) Folding	Self-weight	Loading Capacity
BT-TF010	Four folding	212*53*13cm	58*14*24cm	6kg	160kg
BT-TF011	Four folding	220*55*15cm	50*26*18cm	9kg	160kg

Folding Stretcher

BT-TF014

Product Size (L*W*H): Open 190*50*20cm,
folding 95*50*9cm
Self-weight: 7KG,Loading Capacity: 160kg
Aluminum material,With castors



BT-TF015

Product Size (L*W*H): Open 190*50*20cm,
folding 95*50*9cm
Self-weight: 8KG,Loading Capacity: 160kg
Aluminum material,Backrest is adjustable



BT-TF018

Product Size (L*W*H): Open 190*50*3cm,
folding 95*50*7cm
Self-weight: 4KG,Loading Capacity: 160kg



Spinal Board

BT-TL001 / BT-TL002 / BT-TL003 / BT-TL004

Model No.	Product Size (L*W*H)	Self-weight	Loading Capacity	Packing size	G.W.
BT-TL001	184*45*6cm	7.5kg	185kg	186*47*7cm	10kg
BT-TL002	184*45*6cm	7.5kg	185kg	186*47*7cm	10kg
BT-TL003	184*45*6cm	7.5kg	185kg	186*47*7cm	10kg
BT-TL004	136*35*5cm	4kg	100kg	138*36*6cm	5.6kg



Head Immobilize

BT-TH001

Made of high-density foam sponge, large ear holes for monitoring the patients' ear canal;
It can be used with scoop stretcher and spine board at the same time.
Fit for X-ray,MRI,CT Scan procedures.



Basket Stretcher

BT-TK001

Product Size (L*W*H): 216*61*19cm
Self-weight: 18KG,Loading Capacity: 160kg



BT-TK002

Product Size (L*W*H):Open 216*61*19cm,folding 130*61*26cm
Self-weight: 20KG,Loading Capacity: 160kg



Vacuum Stretcher(Mattress)

BT-TM001

Product Size (L*W): 198*106cm
Self-weight: 6KG,Loading Capacity: 160kg



Multifunctional Roll Stretcher

BT-TM002

Product Size (L*W): 250*84cm
Self-weight: 9KG,Loading Capacity: 160kg



Patient Transporter

BT-TM003

Product Size (L*W*H): Open:180*50*1cm,
Folding size:90*50*2cm;



Soft Stretcher

BT-TM004

Product Size (L*W*H): 185*70cm
Self-weight: 1.5KG,Loading Capacity: 160kg



Stretcher Base

BT-TM008

Product Size (L*W*H): 196*59*45cm
Aluminum Alloy material



Traction Set

BT-TC001

Adult: open size 136*22*18cm, folding 90*22*18cm
Child: open size 118*18*17cm, folding 80*18*17cm



Extrication device

BT-TC002

Suitable for cervical and spinal fixation in traffic accident rescue.



Vacuum Split

BT-TC003


It supplied with suction valve positioned on the out-side to avoid problems to the patient.
It includes leg, arm, forearm, torso and pump
Can be for X-ray and MRI.



Cervical Collar

BT-TE001

Product Size (L*W*H): 196*59*45cm
Aluminum Alloy material



BT-CM002 CPR Mask



BT-CM003 Anaesthetic Mask

Resuscitator Ambu Bag



BT-RE01



BT-RE02